



## Audio-Video series

Wind of Change!



TAV-606F SE

Although TAGA Harmony AUDIO-VIDEO Series can be named "a bargain of the century", there is no place for any sacrifices in music or home theatre performance.

Our devoted to music team of professional engineers and designers has put all its knowledge and heart into building the AUDIO-VIDEO Series: still very affordable but at the same time reliable, with perfect quality, design and sound performance never before found in products of this price range.

### TAV OW-60 LCRS

Designed to work in front (left and right), center or surround channels in multi-channel theatre systems.

The speaker is ready for on-wall installations in both vertical and horizontal orientation or can be discreetly placed into custom-built cabinetry. Thanks to its slim design it is an ideal partner for modern curved TVs.



The advanced, high class tweeters, which are available in different configurations depending on a model: **TPTTD-I (Taga Pure Titanium Tweeter Dome)** tweeter with pure aluminum faceplate to enhance sound dispersion.

Soft domes with the specialized horn like **TWG (Taga WaveGuide)** design of the tweeter faceplate utilizing concave diffusers supports equal and flat dispersion of sound in and off the axis of the driver.




The midrange drivers utilizing rigid and ultra-light cones with the elastic rubber suspension can move very fast and frequently allowing mid-range frequencies to be very rich, spacious and sweet.



The bass and bass / midrange drivers utilizing heavy duty voice coils, coil former and cones for increased power handling, can play deep, precise and detailed bass.



The high quality, gold-plated banana binding posts.



The **BOM (Bassreflex Omnidirectional Module)** - low-turbulence and high-velocity ports utilizing concave diffusers for increased dispersion of low frequencies.

|                             | TAV-616F SE /TAV-616F                                                                                      | TAV-616C                                                               | TAV-616S                                                           | TAV OW-60 LCRS                                                                         |
|-----------------------------|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Speaker Type                | Floorstanding                                                                                              | Center                                                                 | Surround                                                           | Left / Center / Rear / Surround                                                        |
| Drivers Configuration       | Tweeter 25 mm (1")<br>TPTTD-I, TPAF / TWG<br><br>Midrange 165 mm (6.5")<br><br>Bass 2 x 165 mm (6.5")      | Tweeter 25 mm (1")<br>TWG<br><br>Bass / Midrange<br>2 x 133 mm (5.25") | Tweeter 25 mm (1")<br>TWG<br><br>Bass / Midrange<br>133 mm (5.25") | Tweeter 25 mm (1")<br>TWG<br><br>Midrange 133 mm (5.25")<br><br>Bass 2 x 165 mm (6.5") |
| Recommended Amplifier Power | 20 - 160W                                                                                                  | 20 - 120W                                                              | 20 - 120W                                                          | 20 - 160W                                                                              |
| Sensitivity                 | 91dB                                                                                                       | 88dB                                                                   | 88dB                                                               | 86.5dB                                                                                 |
| Impedance                   | 6ohm                                                                                                       | 6ohm                                                                   | 6ohm                                                               | 6ohm                                                                                   |
| Frequency Response          | 36Hz - 25kHz                                                                                               | 50Hz - 25kHz                                                           | 50Hz - 25kHz                                                       | 39Hz - 25kHz                                                                           |
| Dimensions (H x W x D)      | 98 x 23 x 28 cm                                                                                            | 20 x 46.5 x 14.45 cm                                                   | 30 x 20 x 14.45 cm                                                 | 67 x 30 x 15 cm (vertical)                                                             |
| Net Weight                  | 34.3 kg / pair                                                                                             | 5.2 kg / pc                                                            | 7.7 kg / pair                                                      | 12 kg / pc                                                                             |
| Finishes                    | Paint colors: High gloss white [TAV-616F SE only]<br>Vinyl colors: Black, Modern wenge, Oak, Walnut, Wenge |                                                                        |                                                                    |                                                                                        |

Floorstanding models: The height excluding spikes.



TAV-616F

BLACK  
HIGH GLOSS  
FRONT PANEL



TAV-616S

BLACK  
HIGH GLOSS  
FRONT PANEL



TAV OW-60 LCRS



TAV-616C

BLACK  
HIGH GLOSS  
FRONT PANEL

|                                    | TAV-606F SE                                                                            | TAV-606C SE                                                         | TAV-606S SE                                                     | TAV-506F SE                                                                             |
|------------------------------------|----------------------------------------------------------------------------------------|---------------------------------------------------------------------|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>Speaker Type</b>                | Floorstanding                                                                          | Center                                                              | Surround                                                        | Floorstanding                                                                           |
| <b>Drivers Configuration</b>       | Tweeter 25 mm (1")<br>TWG<br><br>Midrange 133 mm (5.25")<br><br>Bass 2 x 165 mm (6.5") | Tweeter 25 mm (1")<br>TWG<br><br>Bass / Midrange<br>2 x 102 mm (4") | Tweeter 25 mm (1")<br>TWG<br><br>Bass / Midrange<br>102 mm (4") | Tweeter 25 mm (1")<br>TWG<br><br>Midrange 133 mm (5.25")<br><br>Bass 2 x 133 mm (5.25") |
| <b>Recommended Amplifier Power</b> | 20 - 150W                                                                              | 20 - 100W                                                           | 20 - 100W                                                       | 20 - 130W                                                                               |
| <b>Sensitivity</b>                 | 91dB                                                                                   | 88dB                                                                | 88dB                                                            | 90dB                                                                                    |
| <b>Impedance</b>                   | 6ohm                                                                                   | 6ohm                                                                | 6ohm                                                            | 6ohm                                                                                    |
| <b>Frequency Response</b>          | 36Hz - 25kHz                                                                           | 52Hz - 25kHz                                                        | 52Hz - 25kHz                                                    | 38Hz - 25kHz                                                                            |
| <b>Dimensions (H x W x D)</b>      | 98 x 23 x 25 cm                                                                        | 16.5 x 43 x 14.5 cm                                                 | 26.5 x 16.5 x 14.5 cm                                           | 90 x 17 x 27.9 cm<br>(excl. spikes)                                                     |
| <b>Net Weight</b>                  | 30.2 kg / pair                                                                         | 3.5 kg / pc                                                         | 4.5 kg / pair                                                   | 22.5 kg / pair                                                                          |
| <b>Finishes</b>                    | Vinyl colors: Black, Modern wenge, Oak, Walnut, White                                  |                                                                     |                                                                 |                                                                                         |

Floorstanding models: The height excluding spikes.

# SE

Special Edition models utilize even better materials and engineering to provide superb sound performance.



TAV-606F SE



TAV-606C SE



TAV-606S SE




TAV-506F SE







TAV-506F v.2



TAV-808B



TAV-606F SE



Our TAV-500B speaker set offers real hi-fi solutions to get the best sound performance from your computer, smartphone, video console or other portable and stationary audio sources.

**Bluetooth®** wireless connectivity - stream music and the Internet radio from smartphones, tables or computers.

Built-in high-power class A/B amplifier combined with audiophile grade drivers always delivers the high-end sound with striking clarity and spaciousness as well as dynamic low bass at any volume.



TAV-500B



TAV-806F



TAV-806S



TAV-806C



TAV-808B

|                             | TAV-806F                                                                               | TAV-806C                                                               | TAV-806S                                                           | TAV-808B                                                          | TAV-500B                                                          |
|-----------------------------|----------------------------------------------------------------------------------------|------------------------------------------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------|
| Speaker Type                | Floorstanding                                                                          | Center                                                                 | Surround                                                           | Bookshelf                                                         | Hi-fi active bookshelf                                            |
| Drivers Configuration       | Tweeter 25 mm (1")<br>TWG<br><br>Midrange<br>133 mm (5.25")<br><br>Bass 2 x 203mm (8") | Tweeter 25 mm (1")<br>TWG<br><br>Bass / Midrange<br>2 x 133 mm (5.25") | Tweeter 25 mm (1")<br>TWG<br><br>Bass / Midrange<br>133 mm (5.25") | Tweeter 25 mm (1")<br>TWG<br><br>Bass / Midrange<br>165 mm (6.5") | Tweeter 25 mm (1")<br>TWG<br><br>Bass / Midrange<br>165 mm (6.5") |
| Recommended Amplifier Power | 20 - 180W                                                                              | 20 - 100W                                                              | 20 - 120W                                                          | 25 - 120W                                                         | Built-in amplifier:<br>2 x 25W RMS, 90W Peak<br>Class A/B         |
| Sensitivity                 | 89dB                                                                                   | 88dB                                                                   | 87dB                                                               | 88dB                                                              | 85dB                                                              |
| Impedance                   | 6ohm                                                                                   | 6ohm                                                                   | 6ohm                                                               | 6ohm                                                              | 6ohm                                                              |
| Frequency Response          | 30Hz - 25kHz                                                                           | 53Hz - 25kHz                                                           | 53Hz - 25kHz                                                       | 44Hz - 25kHz                                                      | 52Hz - 20kHz                                                      |
| Dimensions (H x W x D)      | 108 x 24.5 x 31.2 cm                                                                   | 18 x 50 x 18 cm                                                        | 30 x 18 x 18 cm                                                    | 32 x 20 x 26 cm                                                   | 32 x 20 x 26 cm                                                   |
| Net Weight                  | 36.8 kg / pair                                                                         | 5.1 kg / pc                                                            | 6.3 kg / pair                                                      | 11 kg / pair                                                      | Active: 6.1 kg / pc<br>Passive: 5 kg / pc                         |
| Finishes                    | Vinyl colors: Black, Modern wenge, Oak, Walnut, Wenge, White oak*                      |                                                                        |                                                                    |                                                                   | Vinyl colors: Black, Walnut, Wenge                                |

Floorstanding models: The height excluding spikes.  
\*Only TAV-808B



TAV-606F v.3



TAV-606C/S v.3



TAV-506F v.2



TAV-506C/S v.2

|                             | TAV-606F v.3                                                                        | TAV-606C/S v.3                                                                    | TAV-506F v.2                                                                         | TAV-506C/S v.2                                                                    |
|-----------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Speaker Type                | Floorstanding                                                                       | Center / Surround                                                                 | Floorstanding                                                                        | Center / Surround                                                                 |
| Drivers Configuration       | Tweeter 25 mm (1") TWG<br><br>Midrange 133 mm (5.25")<br><br>Bass 2 x 165 mm (6.5") | Tweeter 25 mm (1") TWG<br><br>Bass / Midrange 2 x 102 mm (4") (C) 102 mm (4") (S) | Tweeter 25 mm (1") TWG<br><br>Midrange 133 mm (5.25")<br><br>Bass 2 x 133 mm (5.25") | Tweeter 25 mm (1") TWG<br><br>Bass / Midrange 2 x 102 mm (4") (C) 102 mm (4") (S) |
| Recommended Amplifier Power | 20 - 120W                                                                           | 20 - 100W                                                                         | 20 - 120W                                                                            | 20 - 100W                                                                         |
| Sensitivity                 | 90dB                                                                                | 88dB (C) / 86dB (S)                                                               | 89dB                                                                                 | 88dB (C) / 86dB (S)                                                               |
| Impedance                   | 6ohm                                                                                | 6ohm                                                                              | 6ohm                                                                                 | 6ohm                                                                              |
| Frequency Response          | 40Hz - 25kHz                                                                        | 55Hz - 25kHz                                                                      | 42Hz - 25kHz                                                                         | 55Hz - 25kHz                                                                      |
| Dimensions (H x W x D)      | 98 x 23 x 25 cm                                                                     | 16.5 x 43 x 14.5 cm (C)<br>26.5 x 16.5 x 14.5 cm (S)                              | 90 x 17 x 23.5 cm                                                                    | 14 x 40 x 14.5 cm (C)<br>24.5 x 14 x 14.5 cm (S)                                  |
| Net Weight                  | 27 kg / pair                                                                        | 3.5 kg / pc (C)<br>4.5 kg / pair (S)                                              | 20.4 kg / pair                                                                       | 2.8 kg / pc (C)<br>3.5 kg / pair (S)                                              |
| Finishes                    | Vinyl colors: Black, Modern wenge, Oak, Walnut, White                               |                                                                                   |                                                                                      |                                                                                   |

Floorstanding models: The height excluding spikes.





TAV-808B



TAV-616F SE



TAV-606F SE



## Audio-Video series

Active Subwoofers

Ultra-light and ultra-rigid paper cone bass drivers with light paper dust caps, ferrum injection-molded chassis and oversized magnets offer high power handling as well as deep, precise and detailed bass performance. The rubber, elastic surround supports extended cone excursion.



The TSW subwoofers utilize high-power built-in amplifiers, robust power board structures and high-velocity slotted bass ports on the rear panels. The advanced bass drivers can operate in high amplitude ranges to quickly react on any changes in the audio signal structure. An integrated clipping limiter\* maintains the best performance and safe operation of the amp and driver even at extremely high volume levels.

Removable IEC type power cord\* provides good power supply filtering and stability and is an easy option to upgrade your system with a premium audiophile power cable in any time.

TSW Series subwoofers are single driver, bassreflex constructions with built-in high-current amplifiers. They deliver the most powerful, deep bass with staggering definition, location and dynamics never met at these price levels before. Our high-power and high-current amplifiers deliver astonishingly deep, thundering bass with perfect definition. Advanced subwoofer drivers with the extended cone excursion ensure superior flat power response and ultra-low distortions at any volume levels.

A TSW subwoofer is an ideal complement to your sound system both in stereo and home theatre systems.



The TSW series subwoofers are the absolute best buy in subwoofers!

\*does not apply to the Vigor SW-8



TSW-212

TSW-210

TSW-90 v.4

Vigor SW-8

|                        |                                                                                                                                                      |                                  |                                 |                                                                                                               |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------|
| Speaker Type           | Active Subwoofer                                                                                                                                     | Active Subwoofer                 | Active Subwoofer                | Active Subwoofer                                                                                              |
| Drivers Configuration  | Bass 305 mm (12")                                                                                                                                    | Bass 255 mm (10")                | Bass 255 mm (10")               | Bass 203mm (8")                                                                                               |
| Built-in amplifier     | 200W RMS, 600W Peak<br>Class A/B                                                                                                                     | 200W RMS, 600W Peak<br>Class A/B | 95W RMS, 260W Peak<br>Class A/B | 90W RMS, 250W Peak                                                                                            |
| Cut-Off Frequency      | 35Hz - 150Hz variable                                                                                                                                | 35Hz - 150Hz variable            | 35Hz - 150Hz variable           | 35Hz - 150Hz variable                                                                                         |
| Frequency Response     | 25Hz - 200Hz                                                                                                                                         | 28Hz - 200Hz                     | 30Hz - 150Hz                    | 34Hz - 150Hz                                                                                                  |
| Features               | Auto On/Off [not for Vigor SW-8 in paint colors]<br>Phase switch: 0°, 180°<br><br>Inputs:<br>1 x Line-level (L/R)<br>1 x SUB (LFE)<br>1 x High-level |                                  |                                 |                                                                                                               |
| Dimensions (H x W x D) | 40.2 x 37.1 x 42.5 cm                                                                                                                                | 38.2 x 33 x 41.6 cm              | 38.2 x 33 x 41.6 cm             | 31.5 x 28 x 33 cm                                                                                             |
| Net Weight             | 24.2 kg / pc                                                                                                                                         | 18.5 kg / pc                     | 15 kg / pc                      | 10 kg / pc                                                                                                    |
| Finishes               | Vinyl colors: Black, Modern wenge, Oak, Walnut, White                                                                                                |                                  |                                 | Paint colors:<br>High gloss black,<br>Matt black<br><br>Vinyl colors: Black, Modern wenge, Oak, Walnut, White |

Dimensions including feet.